



LED WHEELHOUSE DOME LIGHT



The images are merely illustrative, some technical features and accessories may be changed without notice



November 2020

Product Description

Teslights' LED Wheelhouse Dome Lamp is a standard 8" downlight footprint that works with an optional ABC Dimmer Switch which can be located on the console to change the lamp color from white, to red, to blue. The switch is also a 0-10 dimmer enabling the lamp to be dimmed, or brightened, to the level of your choice.



Optional

Key Features


- 5 year factory warranty
- Modular manufacturing process
- Resistant to shock, impact and vibrations
- Easy installation - pigtail and earthquake resistant spring clips
- Up to eight lamps can be installed in sequence
- High efficiency driver
- Lighting is not harmful to the eyes because we use LEDs that meet IES standard. IEC EN 62471 photo-biological standard class A (does no damage the retina)*1

*1 more information <http://www.intertek.com/lighting/photobiological-testing/>

Product Specifications

LED package:	SMD 2835
Power consumption:	15W
Input voltage:	100~277V AC 50/60Hz
Efficacy:	Up to 100 lm/W
THD:	<15%
P.F.:	>0.95
CRI:	>80
Dimming:	0-10V (optional)
Material:	6030 aluminum alloy polycarbonate lens cover
Beam angle:	120°
IP rating:	IP54
Fire rating:	UL94V0
Operating temperature:	-25°C ~ + 45°C

Product Measurement



Model	Measures (∅AxB)
DL8	∅230 x 53 mm



Ordering Guide


Example: DLB8P15E100FRBW

Type	Structure	Diameter		Dim or Non-dim		Watts		Driver/Voltage		Efficiency		Cover		CCT	
DL	B	8	8'	P		15	15W	E		100		F		RBW	
DL	B Structure type	8	8'	P	Dimmable	15	15W	E	External 100-277V 50/60Hz	100	100lm/W	F	Frost	RBW	Red, blue and white



Equivalent Watts and Amps at 120V

Model	Amps
15W Wheelhouse Down Light RBW	0.125A



World Headquarters

4000 Montgomery Dr.

Suite L3

Santa Rosa, CA 95403, USA

+1 707 536 5467

www.teslights.com - info@teslights.com